



(AN ISO 9001:2015 CERTIFIED CO.)



CERTIFICATE OF COMPLIANCE

CE-19023



IMPORTER-EXPORTER CODE (IEC)

AUFPK4735K



**MSME**  
MICRO, SMALL & MEDIUM ENTERPRISES

सूक्ष्म, लघु एवं मध्यम उद्यम

HR03A0021491

**MANUFACTURING COMPANY OF ALL  
KINDS POUCH PACKING MACHINES**

## PRODUCT CATALOG

[www.sahilenterprises111.com](http://www.sahilenterprises111.com)

Mail : [sahilenterprises111@gmail.com](mailto:sahilenterprises111@gmail.com)

Phone : +91-9899309626, 9899389626,  
9899389625

Add: 111, Rajeev Colony, Samaypur Road, Near Pawan  
Hospital, Sec.-56, Ballabgarh, Faridabad-121004-(HR)

**WE Promise You An Experience Of Total  
Satisfaction. 'Pack With Confidence'**



## FFS POUCH PACKING MACHINE

### 1. FFS WITH CUP FILLER POUCH PACKING MACHINE-

**Will Pack:** 1Gm to 200Gm (Depends on Nature of Product )

**Applicable For:**

**Powder:** Spices, Herb, Ground Coffee, Cosmetic Chemical, Pharmaceuticals, Detergent, Salt Etc.

**Speed:** 25–60 Pouches Per Min (Accord to Product)

**Granule:** Nuts, Coal, Sand, Rice, Coffee, Tobacco, Pulses, Grains, Fertilizer Etc.

**Speed:** 30–120 Pouches Per Min (Accord to Product)

#### ➤ Technical Specifications -

Capacity	1gm to 200gm
Filling System	Cup Filler
Filling Accuracy	+/- 0.1 % Depends On Nature of Product
Sealing Type	Center Seal / 4 Side Seal, 3 Side Seal
Packing Material	Laminated Film
Contact Part	Ss-304/Ss - 316
Dimension	2.5 X 3 X 5.5 Ft (L X W X H)
Power	220 Volte Single Phase
Machine Weight	225-250kg. (Approx.)

Model No SEFFC-118

Model No SEFFC-119



1



2

**WE Promise You An Experience Of Total Satisfaction. 'Pack With Confidence'**



## 2. FFS WITH LIQUID FILLER & PASTE POUCH PACKING MACHINE-

### (i). FFS With Liquid Filler-Rotating/Clock/Jhula Pump Pouch Packing Machine-

**Will Pack:** Up To 50 ml

**Applicable for:** Oil, Sauces, Puree, Syrups, Cosmetic Toner, Vegetable Oil, Alcohol, Wines, Rubbing Alcohol, Pharmacy Liquids, Fertilizer Liquid, Chemical Liquid, Shampoo Etc.

**Speed:** 25–50 Pouches Per Min (Accord to Product)

#### ➤ Technical Specifications -

Capacity	Up To 50 ml Filling
Filling Accuracy	+/- 0.1 % Depends on Nature of Product
Sealing Type	Center Seal / 4 Side Seal, 3 Side Seal
System	Paste Filler
Packing Material	Laminated Film
Contact Part:	Ss-304/Ss - 316
Dimension	2.5 X 3 X 5.5 Ft (L X W X H)
Power	220 Volte Single Phases
Optional	Batch Coding Device
Machine Weight	300kg (Approx.)



Model No: SEFL-191

**WE Promise You An Experience Of Total Satisfaction. 'Pack With Confidence'**



## (ii). FFS With Block Pump (For Paste) Pouch Packing Machine-

**Will Pack:** Up To 50ml

**Applicable for:** Paste Clarified Butter/Ghee, Grease, Honey, Cream (Any Product in Cream Form), Lotion, Ginger Garlic Paste (Any Kind of Paste)

**Best For:** Any Kind of Thick Paste

**Speed:** 25 – 40 Pouches Per Min (Accord to Product)

### ➤ Technical Specifications -

Capacity	Up To 50 ml Filling
Filling Accuracy	+/- 0.1 % Depends on Nature of Product
Sealing Type	Center Seal / 4 Side Seal, 3 Side Seal
System	Paste Filler
Packing Material	Laminated Film
Contact Part	Ss-304/Ss - 316
Dimension	2.5 X 3 X 5.5 Ft (L X W X H)
Power	220 Volte Single Phases
Optional	Batch Coding Device
Machine Weight	300kg (Approx.)



Model No SEFBP-181

**WE Promise You An Experience Of Total Satisfaction. 'Pack With Confidence'**



## PNEUMATIC POUCH PACKING MACHINE

### 1. PNEUMATIC WITH CUP FILLER POUCH PACKING MACHINE-

**Will Pack: 10 Gm To 250 Gm**

**Applicable For -**

**Powder:** Ground Spices, Herbs, Ground Coffee, Cosmetic Powders, Chemical, Pharmaceuticals, Detergent Etc. (Suitable for Grounded Powder Only)

**Speed:** 20-30 Pouches Per Min (Accord to Product)

**Granule:** Semolina (Suji), Sand, Rice, Coffee, Pulses, Grains, Fertilizer, Raw Spices, Tea, Green Tea, Blended Tea, Gram (Channa), Chick Pea (Chole), Black Chick Pea (Rajma), Oatmeal's (Dalia), Oats, Corn Flakes, Muesli, Wheat Flakes Etc.

**Speed:** 25-40 Pouches Per Min (Accord to Product)

**Fryums:** Kurkure, Namkeen, Snacks, Rice Fryums, Masala Rings, Masala Penne, Pasta Fryums, Namkeen, Frymes, Pop Corn Etc.

**Speed:** 28-35 Pouches Per Min (Accord to Product)



#### ➤ Technical Specifications -

Filling System	Volumetric Cup Filler
Type of Sealing	Center Seal / 3 Side Seal
Packing Material	Powder, Grains, Frymes
Film Roll Type	Laminated Film
Speed	Varies with the nature of product & Filling range
Power	1.5 - 2 KW 230V / AC / Single Phase
Optional	Batch Coding Device, Gas Flushing
Machine Size	3.5 x 3.5 x 6.5 Ft (L x W x H) (Approx.)
Machine Weight	250-300kg. (Approx.)
Contact Part	Ss-304/Ss-316

Model No: SEPC-109

**NOTE (Chargeable Setting) :** 1 Hp. 3 Phase Crompton/Godrej Motor With High Speed Gear Box, Delta Brand Ac Drive (SPEED CAN BE INCREASED OR DECREASED BY DELTA AC DRIVE)

- (i) Heat Embossing (Coding)
- (ii) Also available in four side sealing

**WE Promise You An Experience Of Total Satisfaction. 'Pack With Confidence'**



## FULLY PNEUMATIC POUCH PACKING MACHINE

### 1. Fully Pneumatic With Cup Filler Pouch Packing Machine

#### Will Pack: 10 Gm To 1 Kg

#### Applicable For –

**Powder:** Ground Spices, Herbs, Ground Coffee, Cosmetic Powders, Chemical, Pharmaceuticals, Detergent Etc. (Suitable for Grounded Powder Only)

**Speed:** 25-35 Pouches Per Min (Accord to Product)

**Granule:** Semolina (Suji), Sand, Rice, Coffee, Pulses, Grains, Fertilizer, Raw Spices, Tea, Green Tea, Blended Tea, Gram (Channa), Chick Pea (Chole), Black Chick Pea (Rajma), Oatmeal's (Dalia), Oats, Corn Flakes, Muesli, Wheat Flakes Etc.

**Speed:** 25-40 Pouches Per Min (Accord to Product)

**Fryums:** Kurkure, Namkeen, Snacks, Rice Fryums, Masala Rings, Masala Penne, Pasta Fryums, Namkeen, Frymes, Pop Corn Etc.

**Speed:** 28-35 Pouches Per Min (Accord to Product)



#### ➤ Technical Specifications -

Filling System	Volumetric Cup Filler
Type of Sealing	Center Seal (By Pneumatic) / 3 Side Seal
Packing Material	Powder, Grains, Frymes
Film Roll Type	Laminated Film
Speed	Varies with the nature of product & Filling range
Power	1.5 - 2 KW 230V / AC / Single Phase
Optional	Batch Coding Device, Gas Flushing
Machine Size	3.5 x 3.5 x 6.5 Ft (L x W x H) (Approx.)
Machine Weight	350kg. (Approx.)
Contact Part	Ss-304/Ss - 316

Model No: SEFPC-110

**NOTE (Chargeable Setting):** 1 Hp, 3 Phase Crompton/Godrej Motor With High Speed Gear Box, Delta Brand Ac Drive (SPEED CAN BE INCREASED OR DECREASED BY DELTA AC DRIVE)

(i) Heat Embossing (Coding)

(ii) Also available in four side sealing

**WE Promise You An Experience Of Total Satisfaction. 'Pack With Confidence'**



## 2. Fully Pneumatic With Liquid Filler Pouch Packing Machine

### (i). Fully Pneumatic with Liquid Filler Rotating/Clock/jhula Pump Pouch Packing Machine-

**Will Pack:** Up To 500 ml

**Applicable For:**

Liquid Oil, Sauces, Puree, Syrups, Cosmetic Toner, Vegetable Oil, Alcohol, Wines, Rubbing Alcohol, Pharmacy Liquids, Fertilizer Liquid, Chemical Liquid, Shampoo Etc.

**Speed:** 25–35 Pouches Per Min (Accord to Product)

➤ **Technical Specifications -**

Capacity	Up To 500ml
Filling System	Liquid Filler
Filling Accuracy	+/- 0.1 % Depends on Nature of Product
Packing Material	Laminated Film
Type of Sealing	Center Seal (By Pneumatic) / 3 Side Seal
Speed	Varies with The Nature of Product & Filling Range
Power	3 Kw 230v / Ac / Single Phase
Optional	Batch Coding Device
Machine Size	3.5 X 3.5 X 6.5 Ft (L X W X H) (Approx.)
Machine Weight	350kg. (Approx.)
Contact Part	Ss-304/Ss-316



Model No: SEFPL-101

**NOTE (Chargeable Setting)**

- (i) 1 Hp. 3 Phase Crompton/Godrej Motor With High
- (ii) Speed Gear Box , DELTA Brand Ac Drive
- (iii) SPEED CAN BE INCREASED OR DECREASED BY DELTA AC DRIVE
- (iv) Heat Embossing (Coding)
- (v) ALSO AVAILABLE IN FOUR SIDE SEALING

**WE Promise You An Experience Of Total  
Satisfaction. 'Pack With Confidence'**



## (ii). Fully Pneumatic With Block Pump For Paste Pouch Packing Machine

**Will Pack:** Up To 1000 ml

**Applicable For:**

Clarified Butter/Ghee, Grease, Honey,  
Cream (Any Product in Cream Form), Lotion,  
Ginger Garlic Paste (Any Kind of Paste)

**Best For:** Any Kind of Thick Paste

**Speed:** 25–40 Pouches Per Min (Accord to Product)

### ➤ Technical Specifications -

Capacity	Up To 1000 ml
Filling System	Paste Filler
Filling Accuracy	+/- 0.1 % Depends on Nature of Product
Packing Material	Laminated Film
Type of Sealing	Center Seal (By Pneumatic) / 3 Side Seal
Speed	Varies with The Nature of Product & Filling Range
Power	3 Kw 230v / Ac / Single Phase
Optional	Batch Coding Device
Machine Size	3.5 X 3.5 X 6.5 Ft (L X W X H) (approx.)
Machine Weight	225kg.-250kg. (approx.)
Contact Part	Ss-304/Ss-316



Model No: SEFPBP-111

### **NOTE (Chargeable Setting)**

(i). 1Hp. 3 Phase Crompton/Godrej Motor with High Speed Gear Box, DELTA Brand Ac Drive (SPEED CAN BE INCREASED OR DECREASED BY DELTA AC DRIVE)

(ii) Heat Embossing (Coding)

(iii). Also available in four side sealing

**WE Promise You An Experience Of Total Satisfaction. 'Pack With Confidence'**





### 3. Fully Pneumatic with Auger Filler Pouch Packing Machine

#### (i). Fully Pneumatic with Clutch & Break Auger Filler Pouch Packing Machine

##### Applicable For -

Milk Powder, Spices, Herbs, Coffee,  
Cosmetic Powders, Chemical, Pharmaceuticals,  
Etc. (SUITABLE FOR FINE MESH POWDER ONLY)  
**Speed:** 25-35 Pouches Per Min (Accord to Product)

##### ➤ Technical Specifications -

Capacity	Up To 500 GM
Filling System	Auger Filler
Filling Accuracy	+/- 2-3 % Depends on Nature of Product
Packing Material	Laminated Film
Type Of Sealing	Center Seal (By Pneumatic) / 3 Side Seal
Speed	Varies With The Nature Of Product & Filling Range
Power	3 KW 440 V / AC / Three Phase
Optional	Batch Coding Device
Machine Size	3.5 X 3.5 X 9 Ft (L X W X H) (Approx.)
Machine Weight	550kg. (Approx.)
Contact Part	Ss-304/Ss-316



Model No: SEFPCBA-301

##### **NOTE (Chargeable Setting)**

- (i) 1Hp. 3 Phase Crompton/Godrej Motor with high speed Gear Box , DELTA Brand Ac Drive (MACHINE SPEED CAN BE INCREASED OR DECREASED BY DELTA AC DRIVE )
- (ii) Heat Embossing (Coding)
- (iii) ALSO AVAILABLE IN FOUR SIDE SEALING

**WE Promise You An Experience Of Total Satisfaction. 'Pack With Confidence'**



## (ii). Fully Pneumatic with Servo Auger Filler Pouch Packing Machine

**Will Pack:** Up to 500 GM

**Applicable For -**

Milk Powder, Spices, Herb, Coffee,  
Cosmetic Powders, Chemical, Pharmaceuticals,  
Etc. (SUITABLE FOR FINE MESH POWDER ONLY)

**Speed:** 30-50 Pouches Per Min (accord to product)



### ➤ Technical Specifications -

Capacity	Up to 500 GM
Filling System	Auger Filler
Filling Accuracy	+/- 0.5 - 1.5 % Depends on Nature of Product
Packing Material	Laminated Film
Type of Sealing	Center Seal (By Pneumatic) / 3 Side Seal
Speed	Varies with The Nature of Product & Filling Range
Power	3KW 440 V / AC / Three Phase
Optional	Batch Coding Device
Machine Size	3.5 X 3.5 X 9 Ft (L X W X H) (Approx.)
Machine Weight	400 kg. (Approx.)
Contact Part	Ss-304/Ss-316

### **NOTE (Chargeable Setting)**

(i) 1Hp. 3 Phase Crompton/Godrej Motor with high speed Gear Box , DELTA Brand Ac Drive (MACHINE SPEED CAN BE INCREASED OR DECREASED BY DELTA AC DRIVE )

(ii) Heat Embossing (Coding)

(iii) ALSO AVAILABLE IN FOUR SIDE SEALING

Model No: SEFPSA-303

**WE Promise You An Experience Of Total Satisfaction. 'Pack With Confidence'**



## 4. Fully Pneumatic with Weighing Filler Pouch Packing Machine

### (i). Fully Pneumatic with Single Head Weighing Filler Pouch Packing Machine

**Will Pack:** Up To 1000 Gm

**Applicable For:**

Chips, Kurkure, Namkeen, Snacks, Rice, Namkeen  
Frymes, Masala Rings, Masala Penne, Pasta Frymes  
Fryums, Pop Corn Etc.

**Speed:** 04 - 09 Pouches Per Min

**Granule:** Nuts, Sand, Rice, Coffee, Pulses, Grains, Fertilizer,  
Raw Spices Tea, Green Tea, Blended Tea.

**Speed:** 04 - 09 Pouches Per Min (Accord to Product)

#### ➤ Technical Specifications -

Capacity	Up To 1000 Gm (Accord to Product)
Filling System	Weighing Filler
Filling Accuracy	+/- 0.5 - 1 % Depends on Nature of Product
Packing Material	Laminated Film
Type of Sealing	Center Seal (By Pneumatic) / 3 Side Seal
Speed	Varies with The Nature of Product & Filling Range
Power	2 Kw 230 V / Ac / Single Phase Model No. SE – 118 F
Optional	Batch Coding Device
Machine Size	3.5 X 3.5 X 8 Ft (L X W X H) (Approx.)
Machine Weight	400kg. (Approx.)
Contact Part	Ss-304/Ss-316

#### **NOTE (Chargeable Setting)**

(i) 1Hp. 3 Phase Crompton/Godrej Motor with high speed Gear Box, DELTA Brand Ac Drive (MACHINE SPEED CAN BE INCREASED OR DECREASED BY DELTA AC DRIVE)

(ii) Heat Embossing (Coding)

(iii) ALSO AVAILABLE IN FOUR SIDE SEALING



Model No: SEFP SH-307

**WE Promise You An Experience Of Total Satisfaction. 'Pack With Confidence'**



## (ii). Fully Pneumatic with Double Head Weighing Filler Pouch Packing Machine

**Will Pack:** Up To 1000 Gm

### Applicable For -

Chips, Kurkure, Namkeen, Snacks,  
Rice Fryums, Masala Rings, Masala Penne,  
Pasta Fryums, Namkeen Frymes, Pop Corn Etc.

**Speed:** 08-14 Pouches Per Min

(Accord to Product with Weight Accuracy)

**Granule:** Nuts, Sand, Rice, Coffee, Pulses, Grains,  
Fertilizer, Raw Spices Tea, Green Tea, Blended Tea.

**Speed:** 08-14 Pouches Per Min (Accord to Product)

### ➤ Technical Specifications -

Capacity	Up To 1000 Gm (Accord to Product)
Filling System	Weighing Filler
Filling Accuracy	+/- 0.5 - 1 % Depends on Nature of Product
Packing Material	Laminated Film
Type Of Sealing	Center Seal (By Pneumatic) / 3 Side Seal
Speed	Varies With The Nature Of Product & Filling Range
Power	2.5 Kw 230 V / Ac / Single Phase
Optional	Batch Coding Device
Model No.	SE - 118 F
Machine Size	3.5 X 3.5 X 9.5 Ft (L X W X H) (Approx.)
Machine Weight	450kg. (Approx.)
Contact Part	Ss-304/Ss-316

### NOTE (Chargeable Setting)

(i).Hp. 3 Phase Crompton/Godrej Motor with high speed Gear Box DELTA Brand Ac Drive (MACHINE SPEED CAN BE INCREASED OR DECREASED BY DELTA AC DRIVE )

(ii).Heat Embossing (Coding)

(iii).ALSO AVAILABLE IN FOUR SIDE SEALING



Model No: SEFPDH-309

**WE Promise You An Experience Of Total Satisfaction. 'Pack With Confidence'**



### (iii). Fully Pneumatic with Four Head Weighing Filler Pouch Packing Machine

**Will Pack:** Up To 1000 Gm

**Applicable For –**

Chips, Kurkure, Namkeen, Snacks, Rice  
Fryums, Masala Rings, Masala Penne, Pasta Frymes,  
Namkeen Fryums, Popcorn.

**Speed:** 12 – 22 Pouches Per Min

**Granule:** Nuts, Sand, Rice, Coffee, Pulses, Grains, Fertilizer,  
Raw Spices Tea, Green Tea, Blended Tea, Etc.

**Speed:** 12 – 22 Pouches Per Min (Accord to Product)

➤ **Technical Specifications -**

Capacity	Up To 1000 GM ( Accord To Product )
Filling System	Weighing Filler
Filling Accuracy	+/- 0.5 - 1 % Depends On Nature Of Product
Packing Material	Laminated Film
Type Of Sealing	Center Seal (By Pneumatic) / 3 Side Seal
Speed	Varies With The Nature Of Product & Filling Range
Power	3 Kw 230 V / Ac / Single Phase
Optional	Batch Coding Device
Machine Size	3.5 X 3.5 X 11.5 Ft (L X W X H) (Approx.)
Machine Weight	500 Kg. (Approx.)
Contact Part	Ss-304/Ss-316



**NOTE (Chargeable Setting)**

(i).Hp. 3 Phase Crompton/Godrej Motor with high speed Gear Box DELTA Brand Ac Drive (MACHINE SPEED CAN BE INCREASED OR DECREASED BY DELTA AC DRIVE )

(ii).Heat Embossing (Coding)

(iii).ALSO AVAILABLE IN FOUR SIDE SEALING

Model No: SEFPFH-311

**WE Promise You An Experience Of Total Satisfaction. 'Pack With Confidence'**



## COLLAR MACHINE

### 1. Collar With Cup Filler Pouch Packing Machine

**Will Pack:** 250 Gm To 1 Kg

**Applicable For:**

**Powders:**

Ground Spices, Herbs, Ground Coffee, Cosmetic Powders, Chemical, Pharmaceuticals, Salt, Detergent Etc.

**Speed:** 35-45 Pouches Per Min (Accord to Product)

**Granule:** Sand, Rice, Coffee, Pulses, Grains, Fertilizer, Raw Spices Tea, Green Tea, Blended Tea, Gram (Chana), Chick Pea (Chole), Black Chick Pea (Rajma), Corn Flakes, Muesli, Wheat Flakes, Oats, Oatmeal's (Dalia) Etc.

**Will Pack:** 500 Gm To 2 Kg

**Speed:** 35-55 Pouches Per Min (Accord to Product)

**2 Kg 20-25 Pouches Per Min (Accord to Product)**

**5 Kg 15-20 Pouches Per Min (Accord to Product)**

**Frames:** Kurkure, Namkeen, Snacks, Rice frames, Masala Rings, Masala Penne, Pasta, Frames, Namkeen, Frames, Pop Corn Etc.

**Will Pack:** 10 Gm To 100 Gm

**Speed:** 40-55 Pouches Per Min (Accord To Product)

#### ➤ Technical Specifications -

Filling System	Volumetric Cup Filler
Type Of Sealing	Center Seal
Film Roll Type	Laminated Film
Speed	Varies With The Nature Of Product & Filling Range
Power	3 Kw 230v / Ac / Single Phase
Optional	Batch Coding Device, Gas Flushing
Machine Size	6.5 X 4.5 X 8 Ft (L X W X H)
Machine Weight	450kg- 600kg (Approx.)
Contact Part	Ss-304/Ss-316



Model No SECCF-701

**Note:** Best For Leak Proof Pouches

**WE Promise You An Experience Of Total Satisfaction. 'Pack With Confidence'**



## 2. Collar Type Servo Auger Filler Pouch Packing Machine

**Will Pack:** 500 gm to 5 Kg

**Applicable For:**

**Powder**

Besan (Gram Flour), Milk Powder,  
Protein Powder, Flour, Spices, Herbs, Ground Coffee,  
Cosmetic Powders, Chemical, Pharmaceuticals,  
Corn Starch, All Purpose Flour,  
Any Fine Powders. 500 Gm To 1 Kg

**Speed:** 30–50 Pouches Per Min (Accord To Product)

2 Kg 20-24 Pouches Per Min (Accord To Product)

5 Kg 15-18 Pouches Per Min (Accord To Product)



Model No: SECSA-709

### ➤ Technical Specifications -

Filling System	Servo Auger Filler
Type Of Sealing	Center Seal
Film Roll Type	Laminated Film
Speed	Varies With The Nature Of Product & Filling Range
Power	3–4 Kw 440 V / Ac / Three Phase
Optional	Batch Coding Device, Gas Flushing
Machine Size	6.5 X 4.5 X 9 – 10.5 Ft (L X W X H)
Machine Weight	550 – 750 Kg. (Approx.)
Contact Part	Ss-304/Ss-316

**Note:** Best For Leak Proof Pouches

**WE Promise You An Experience Of Total Satisfaction. 'Pack With Confidence'**



### 3. Collar With Cultch & Break Auger Filler Pouch Packing Machine

**Will Pack:** Up to 500 gm

**Applicable For:**

**Powder**

Besan (Gram Flour), Milk Powder, Protein Powder, Flour, Spices, Herbs, Ground Coffee, Cosmetic Powders, Chemical, Pharmaceuticals, Corn Starch, All Purpose Flour, Any Fine Powders.

**Speed:** 25-40 Pouches Per Min



#### ➤ Technical Specifications -

Filling System	Cultch & Break Auger Filler
Type Of Sealing	Center Seal
Film Roll Type	Laminated Film
Speed	Varies With The Nature Of Product & Filling Range
Power	3 Kw 440 V / Ac / Three Phase
Optional	Batch Coding Device, Gas Flushing
Machine Size	6.5 X 4.5 X 9 Ft (L X W X H)
Machine Weight	450 Kg- 500 Kg.(Approx.)
Contact Part	Ss-304/Ss-316

**Model No: SECCBA-707**

**Note: Best For Leak Proof Pouches**

**WE Promise You An Experience Of Total Satisfaction. 'Pack With Confidence'**





## 4. Collar With Weighing Filler Pouch Packing Machine

### (i). Collar With Single Head Weighing Filler Pouch Packing Machine

**Will Pack:** 10Gm to 1Kg

**Applicable For:**

Chips, Kurkure, Snacks, Rice Frum's,  
Masala Rings, Masala Penne, Pasta Frum's,  
Namkeen Frum's, Pop Corn Etc.

**Speed:** 5–10 Pouches Per Min (Accord To Product  
With Weight Accuracy)

**Granule:** Nuts, Namkeen , Sand, Rice, Coffee,  
Pulses, Grains, Fertilizer, Raw Spices Tea, Green Tea,  
Blended Tea, Vermicelli (Sevak) Etc.

**Speed:** 05–10 Pouches Per Min (Accord to Product)

#### ➤ Technical Specifications -

Filling System	Single Head Weigh Filler
Type of Sealing	Center Seal
Film Roll Type	Laminated Film
Speed	Depend on the nature of the product
Power	3.5 KW
Optional	Batch Coding Device, Z Elevator
Machine Size	6.5 X 4.5 X 8 Ft (L X W X H)
Machine Weight	550kg. (Approx.) Model No. SE – 118 F
Contact Part	Ss-304/Ss-316

**Note:** Best for Leak Proof Pouches



Model No: SECSH-708

**WE Promise You An Experience Of Total  
Satisfaction. 'Pack With Confidence'**



## (ii). Collar With Double Head Weighing Filler Pouch Packing Machine

**Will Pack:** 10Gm to 1Kg

**Applicable For:**

Chips, Kurkure, Snacks, Rice Frum's,  
Masala Rings, Masala Penne, Pasta Frum's,  
Namkeen Frum's, Pop Corn Etc.

**Speed:** 10–15 Pouches Per Min (Accord to Product  
with Weight Accuracy)

**Granule:** Nuts, Namkeen, Sand, Rice, Coffee, Pulses,  
Grains, Fertilizer, Raw Spices Tea, Green Tea,  
Blended Tea, Vermicelli (Sevak) Etc.

**Speed:** 08–14 Pouches Per Min (Accord to Product  
with Weight Accuracy)

### ➤ Technical Specifications -

Filling System	Double head Weigh Filler
Type of Sealing	Center Seal
Film Roll Type	Laminated Film
Speed	Depend on the nature of the product
Power	3.5 KW
Optional	Batch Coding Device, Z Elevator
Machine Size	6.5 X 4.5 X 9 Ft (L X W X H)
Machine Weight	550kg. (Approx.)
Contact Part	Ss-304/Ss-316



**Note:** Best for Leak Proof Pouches

Model No: SECDH-710

**WE Promise You An Experience Of Total  
Satisfaction. 'Pack With Confidence'**



### (iii). Collar With Four Head Weighing Filler Pouch Packing Machine

**Will Pack:** 10Gm To 1Kg

**Applicable For:**

Chips, Kurkure, Snacks, Rice Frum's, Masala Rings, Masala Penne, Pasta Frum's, Namkeen Frum's, Pop Corn Etc.

**Speed:** 18–22 Pouches Per Min (Accord To Product With Weight Accuracy)

**Granule:** Nuts, Namkeen, Sand, Rice, Coffee, Pulses, Grains, Fertilizer, Raw Spices Tea, Green Tea, Blended Tea, Vermicelli (Sevak) Etc.

**Speed:** 14–20 Pouches Per Min (Accord to Product)



#### ➤ Technical Specifications -

Filling System	Four head Weigh Filler
Type of Sealing	Center Seal
Film Roll Type	Laminated Film
Speed	Depend on the nature of the product
Power	4 KW
Optional	Batch Coding Device, Z Elevator
Machine Size	6.5 X 4.5 X 11 Ft (L X W X H)
Machine Weight	600kg. (Approx.)
Contact Part	Ss-304/Ss-316

**Note:** Best for Leak Proof Pouches

Model No: SECFH-711

**WE Promise You An Experience Of Total Satisfaction. 'Pack With Confidence'**



#### (iv). Collar With Multy Head Weighing Filler Pouch Packing Machine

**Will Pack:** 10Gm to 1Kg

**Applicable For:**

Chips, Kurkure, Snacks, Rice Frum's, Masala Rings, Masala Penne, Pasta Frum's, Namkeen Frum's, Popcorn Etc.

**Speed:** 40–60 Pouches Per Min (Accord to Product with Weight Accuracy)

**Granule:** Nuts, Nankeen, Sand, Rice, Coffee, Pulses, Grains, Fertilizer, Raw Spices, Black Paper, Cardamom, Tea, Green Tea, Blended Tea, Lollipop. Vermicelli (Sevak) Etc.

**Speed:** 35–60 Pouches Per Min (Accord to Product with Weight Accuracy)



#### ➤ Technical Specifications -

Filling System	Ten Head Weigh Filler
Type Of Sealing	Center Seal
Film Roll Type	Laminated Film
Speed	Depend On The Nature Of The Product
Power	5 KW
Optional	Batch Coding Device, Z Elevator, Air Compressor
Machine Size	6.5 X 4.5 X 11 Ft (L X W X H)
Machine Weight	750kg. (Approx.)
Contact Part	Ss-304/Ss-316

**Note:** Best for Leak Proof Pouches

Model No SECMH-T-703

**WE Promise You An Experience Of Total Satisfaction. 'Pack With Confidence'**



## SEMI (MANUAL) MACHINE

### 1. SEMI (Manual) With Cup Filler Machine

**Will Pack:** 05Gm to 1Kg

**Applicable For:**

Ground Spices, Herbs, Ground Coffee, Cosmetic Powders, Chemical, Pharmaceuticals, Detergent Etc. (Suitable for Grounded Powder Only)

**Speed:** 15-20 Pouches Per Min (Accord to Product)

**Granule:** Semolina (Suji), Sand, Rice, Coffee, Pulses, Grains, Fertilizer, Raw Spices, Tea, Green Tea, Blended Tea, Gram (Channa), Chickpea (Chole), Black Chickpea (Rajma), Oatmeal's (Dalia), Oats, Corn Flakes, Muesli, Wheat Flakes Etc.

**Speed:** 15-20 Pouches Per Min (Accord to Product)



Model No: SEMCF-511

#### ➤ Technical Specifications -

Capacity	5gm To 1 Kg
Filling System	Cup Filler
Filling Accuracy	+/- 0.1 % Depends On Nature Of Product
Contact Part	Ss-304/Ss – 306
Dimension	2.5 X 2.5 X 4.5 Ft (L X W X H)
Power	220 Volte Single Phase
Optional	Die Roller Sealing System
Contact Part	Ss-304/Ss-316
Machine Weight	80kg (Approx.)



Model No: SEMCF-503

**WE Promise You An Experience Of Total Satisfaction. 'Pack With Confidence'**



## 2.Semi Single Head Weighing Filler With Sealing Unit

### (i). Semi Single Head Weighing Filler With Sealing Unit

**Will Pack:** 05gm to 1Kg

**Applicable For:**

Ground Spices, Herbs, Ground Coffee, Cosmetic Powders, Chemical, Pharmaceuticals, Detergent Etc. (Suitable For Grounded Powder Only)

**Speed:** 03-07 Pouches Per Min (Accord To Product)

**Fryums:** Chips ,Kurkure, Namkeen, Snacks, Rice Fryums, Masala Rings, Masala Penne, Pasta Fryums, Namkeen Fryums, Popcorn Etc.

**Speed:** 04–09 Pouches Per Min (Accord To Product With Weight Accuracy)

**Granule:** Nuts, Sand, Rice, Coffee, Pulses, Grains, Fertilizer, Raw Spices Tea, Green Tea, Blended Tea, Etc.

**Speed:** 04–09 Pouches Per Min (Accord to Product)



Model No: SEMSH-509

#### ➤ Technical Specifications -

Capacity	Up To 1000 Gm ( Accord To Product )
Filling System	Weighing Filler
Filling Accuracy	+/- 0.5 - 1 % Depends On Nature Of Product
Speed	Varies With The Nature Of Product & Filling Range
Power	0.5 Kw 230 V / Ac / Single Phase
Optional	Pneumatic Sealing Unit
Machine Size	3.5 X 3.5 X 6 Ft (L X W X H) (Approx.)
Machine Weight	80kg.-100kg. (Approx.)
Contact Part	Ss-304/Ss-316

**WE Promise You An Experience Of Total Satisfaction. 'Pack With Confidence'**



## (ii). SEMI (Manual) With Weighing Filler Double Head Machine -

**Will Pack:** 05gm to 1Kg

**Applicable For:**

Ground Spices, Herbs, Ground Coffee, Cosmetic Powders, Chemical, Pharmaceuticals, Detergent Etc. (Suitable For Grounded Powder Only)

**Speed:** 05-12 Pouches Per Min (Accord To Product)

**Fryums:** Chips, Kurkure, Namkeen, Snacks, Rice Frymes, Masala Rings, Masala Penne, Pasta Frymes, Namkeen Fryums, Popcorn Etc.

**Speed:** 06-14 Pouches Per Min (Weight Accuracy)

**Granule:** Nuts, Sand, Rice, Coffee, Pulses, Grains, Fertilizer, Raw Spices Tea, Green Tea, Blended Tea, Etc.

**Speed:** 06-14 Pouches Per Min (Accord to Product)



### ➤ Technical Specifications -

Machine Weight	100kg. - 120kg. (Approx.)
Contact Part	Ss-304/Ss-316
Capacity	Up To 1000 Gm ( Accord To Product )
Filling System	Weighing Filler
Filling Accuracy	+/- 0.5 - 1 % Depends On Nature Of Product
Speed	Varies With The Nature Of Product & Filling Range
Power	1 Kw 230 V / Ac / Single Phase
Optional	Pneumatic Sealing Unit
Machine Size	3.5 X 4 X 6.5 Ft (L X W X H) (Approx.)

Model No: SEMDH-507

**WE Promise You An Experience Of Total Satisfaction. 'Pack With Confidence'**



### (iii). SEMI (Manual) With Weighing Filler Four Head Machine

**Will Pack:** 05gm to 1Kg

**Applicable For:**

Ground Spices, Herbs, Ground Coffee, Cosmetic Powders, Chemical, Pharmaceuticals, Detergent Etc. (Suitable For Grounded Powder Only)

**Speed:** 08-15 Pouches Per Min ( Accord To Product )

**Fryums:** Chips, Kurkure, Namkeen, Snacks, Rice Frymes, Masala Rings, Masala Penne, Pasta Frymes, Nankeen Fryums , Popcorn Etc.

**Speed:** 09–18 Pouches Per Min (With Weight Accuracy)

**Granule:** Nuts, Sand, Rice, Coffee, Pulses, Grains, Fertilizer, Raw Spices Tea, Green Tea, Blended Tea, Etc.

**Speed:** 09–18 Pouches Per Min (Accord to Product)



#### ➤ Technical Specifications -

Model No: SEMFH-505

Capacity	Up To 1000 Gm (Accord To Product)
Filling System	Weighing Filler
Filling Accuracy	+/- 0.5 - 1 % Depends On Nature Of Product
Speed	Varies With The Nature Of Product & Filling Range
Power	1.5 Kw 230 V / Ac / Single Phase
Model No.	SE – 118 F
Optional	Pneumatic Sealing Unit
Machine Size	3.5 X 4 X 7 Ft (L X W X H) (Approx.)
Machine Weight	120kg–140kg.(Approx.)
Contact Part	Ss-304/Ss-316

**WE Promise You An Experience Of Total Satisfaction. 'Pack With Confidence'**





### 3.SEMI (Manual) With Liquid Filler Machine

#### (i). SEMI Liquid Filler - Rotating/Clock/Jhula Pump Machine

**Will Pack:** | Up To 1000 ml

**Applicable For:**

Oil, Sauces, Puree, Syrups,  
Cosmetic Toner, Vegetable Oil, Alcohol, Wines,  
Rubbing Alcohol, Pharmacy Liquids, Fertilizer  
Liquid, Chemical Liquid, Shampoo Etc. (Up To  
1000 ml)

**Speed:** 10–15 Pouches Per Min (Accord To  
Product)



#### ➤ **Technical Specifications -**

Capacity	Up To 1000 ml
Filling System	Liquid Filler
Filling Accuracy	+/- 0.1 % Depends On Nature Of Product
Contact Part	Ss-304/Ss – 316
Dimension	2.5 X 3.5 X 5 Ft (L X W X H)
Power	1kw, 220 Volte Single Phase
Optional	Pneumatic Sealing Units
Machine Weight	80kg-100 (Approx.)

**Model No: SEMLF-513**

**WE Promise You An Experience Of Total  
Satisfaction. 'Pack With Confidence'**



## (ii). SEMI Liquid Filler by Pneumatic with Block Pump (For Paste) Machine

**Will Pack:** Up To 1000 ml

**Applicable For:**

Clarified Butter/Ghee, Grease,  
Honey, Cream (Any Product In Cream Form),  
Lotion, Ginger Garlic Paste (Any Kind Of Paste)

**Speed:** 10–15 Pouches Per Min (Accord To Product)

**Best For:** Any Kind Of Thick Paste



### ➤ Technical Specifications -

Capacity	Up To 1000 ml
Filling System	Paste Filler
Filling Accuracy	+/- 0.1 % Depends On Nature Of Product
Contact Part	Ss-304/Ss – 306
Dimension	2.5 X 3 X 5.5 Ft (L X W X H)
Power	1kw, 220 Volte Single Phase
Optional	Pneumatic Sealing Unit
Machine Weight	70kg (Approx.)
Contact Part	Ss-304/Ss-316

Model No: SEMLFBP-517

**WE Promise You An Experience Of Total Satisfaction. 'Pack With Confidence'**



### (iii). SEMI Liquid Filler with Imported Pump

**Will Pack:** Up To 1000 ml


**Applicable For:** Favicon, Clarified Butter/Ghee, Grease, Honey, Cream (Any Product In Cream Form), Lotion, Ginger Garlic Paste (Any Kind Of Paste) (Up To 1000 ml)

**Best For:** Any Kind Of Thick Paste

**Speed:** 10–15 Pouches Per Min (Accord To Product)

Liquid, Oil, Sauces, Puree, Syrups, Cosmetic Toner, Vegetable Oil, Alcohol, Wines, Rubbing Alcohol, Pharmacy Liquids, Fertilizer Liquid, Chemical Liquid, Shampoo Etc. (Up To 1000 ml)

**Speed:** 10–15 Pouches Per Min (Accord To Product)



#### ➤ Technical Specifications -

Capacity	Up To 1000 ml
Filling System	Paste/Liquid Filler
Filling Accuracy	+/- 0.1 % Depends On Nature Of Product
Contact Part	Ss-304/Ss – 316
Dimension	2.5 X 3 X 5 Ft (L X W X H)
Power	1kw, 220 Volte Single Phase
Optional	Pneumatic Sealing Unit
Machine Weight	70kg (Approx.)
Contact Part	Ss-304/Ss-316

Model No: SEMLFBP-518

**WE Promise You An Experience Of Total Satisfaction. 'Pack With Confidence'**



## 4. SEMI (Manual) With Auger Filler Machine

### (i). SEMI Auger Filler with Clutch & Break -

**Will Pack:** Up To 500 GM

**Applicable For:** Milk Powder, Spices, Herbs, Coffee, Cosmetic Powders, Chemical, Pharmaceuticals, Etc. **(SUITABLE FOR FINE MESH POWDER ONLY)**

**Speed:** 15-18 Pouches Per Min ( Accord To Product )



### ➤ Technical Specifications -

**Capacity:** Up To 500 GM

**Filling System:** Auger Filler

**Filling Accuracy:** +/- 2-3 % Depends On Nature Of Product

**Speed:** Varies With The Nature Of Product & Filling Range

**Power:** 1 KW 440 V / AC / Three Phase

**Machine Size:** 2.5 X 3 X 5.5 Ft (L X W X H) (Approx.)

**Machine Weight:** 110kg. (Approx.)

Contact Part Ss-304/Ss-316

Model No: SEMAF-CB-521

**WE Promise You An Experience Of Total Satisfaction. 'Pack With Confidence'**



## (ii). SEMI Auger Filler with Servo Machine

**Will Pack:** Up to 2000 GM

**Applicable For:** Milk Powder, Spices, Herbs, Coffee, Cosmetic Powders, Chemical, Pharmaceuticals, Etc. (SUITABLE FOR FINE MESH POWDER ONLY)

**Speed:** 15-18 Pouches Per Min ( Accord To Product)



Model No: SEMF-SA-537

### ➤ Technical Specifications -

**Capacity:** Up to 2000 GM

**Filling System:** Auger Filler

**Filling Accuracy:** +/- 0.5 - 1.5 % Depends on Nature Of Product

**Speed:** Varies With The Nature Of Product & Filling Range

**Power:** 3 KW 440 V / AC / Three Phase

**Machine Size:** 3.5 X 3.5 X 9 Ft (L X W X H) (Approx.)

**Machine Weight:** 100 kg. (Approx.)

Contact Part      Ss-304/Ss-316

**WE Promise You An Experience Of Total Satisfaction. 'Pack With Confidence'**



## WATER PACK MACHINE



**Will Pack:** UP To 250 ml  
**Speed:** 30-32 Pouches Per Min (accord to product)

### ➤ Technical Specifications -

**Capacity:** Up to 250 ml  
**Filling System:** Liquid Filler  
**Filling Accuracy:** +/- 2.3 ml Depends on Nature Of Product  
**Speed:** Varies With The Nature Of Product & Filling Range  
**Power:** 1-1.5 KW 230 V / AC / Single Phase  
**Machine Size:** 2.5 X 2.5 X 5.5 Ft (L X W X H) (Approx.)  
**Machine Weight:** 300 kg. (Approx.)  
Contact Part      Ss-304/Ss-316

Model No: SEWP-444

**WE Promise You An Experience Of Total Satisfaction. 'Pack With Confidence'**



## HORIZONTAL FLOWRAP MACHINE



**Applicable For:** Soap, Biscuits, Chikki, Chocolate, Cookies, Ice Cream etc.  
**Filling System:** Manual Feeding

Model No: SEHF-901

### ➤ Technical Specifications -

**Speed:** 40 - 45 Pouch per min Varies with The Nature of Product & Filling Range

**Power:** 2.5 KW 220 V / AC / Single Phase

**Machine Size:** 12 X 3 X 5 Ft (L X W X H) (Approx.)

**Machine Weight:** 350kg. (Approx.) With Alpha Brand 220v. Panel with 220v PC, Motor with 24V, Panasonic Photocell, 1Hp. Three Phase Crompton Motor with Heavy Duty Gearbox with 1 Hp. Delta AC Drive,

Contact Part                      Ss-304/Ss-316

**WE Promise You An Experience Of Total Satisfaction. 'Pack With Confidence'**



## MULTI ROW FAMILY PACK



**Applicable For:** Rusk, Biscuits, Cookies etc.  
**Filling System:** Manual Feeding

### ➤ Technical Specifications -

**Speed:** 25-30 Pouch per min Varies with The Nature of Product & Filling Range

**Power:** 3KW 220 V / AC / Single Phase

**Machine Size:** 12 X 3 X 5 Ft (L X W X H) (Approx.)

**Machine Weight:** 350kg. (Approx.)

Contact Part Ss-304/Ss-316

Model No: SEMRF-903

**WE Promise You An Experience Of Total  
Satisfaction. 'Pack With Confidence'**





## SCREW FEEDER



**Will Convey:** Powder, Rough Powder  
**Power:** Three Phase, 440 V

Model No: SESF-202

**WE Promise You An Experience Of Total  
Satisfaction. 'Pack With Confidence'**



## FEEDING CONVEYOR



**Will Convey:** Powder, Granules – Rice, Tea, Frames (Chips, Kurkure, Namkeen, Snacks etc.)  
**Power:** Three Phase, 440 V

Model No: SEFC-207

**WE Promise You An Experience Of Total Satisfaction. 'Pack With Confidence'**



## Z ELEVATOR



**Will Convey:** Powder, Granules – Rice, Tea,  
Frames (Chips, Kurkure, Namkeen, Snacks etc.)

**Power:** Three Phase, 440V

**Power:** Three Phase, 440 V

Model No: SEZE-211

**WE Promise You An Experience Of Total  
Satisfaction. 'Pack With Confidence'**




## BAND SEALER MACHINE



**WE Promise You An Experience Of Total Satisfaction. 'Pack With Confidence'**




## HOT FOIL CODING , INK CODER, PNEUMATIC CODING



### Machine Picture

Motor-driven/ Pneumatic Hot Stamp Coder.  
Suitable for package materials such as PT,  
PE, OPP, CPP, aluminum foil, plastic bag,  
thermo-shrinking label, paper label, leather,  
clothes, etc.



**WE Promise You An Experience Of Total  
Satisfaction. 'Pack With Confidence'**



(AN ISO 9001:2015 CERTIFIED CO.)



CERTIFICATE OF COMPLIANCE

CE-19023



IMPORTER-EXPORTER CODE (IEC)

AUFPK4735K



**MSME**  
MICRO, SMALL & MEDIUM ENTERPRISES

सूक्ष्म, लघु एवं मध्यम उद्यम

HR03A0021491

**MANUFACTURING COMPANY OF ALL  
KINDS POUCH PACKING MACHINES**

## PRODUCT CATALOG

[www.sahilenterprises111.com](http://www.sahilenterprises111.com)

Mail : [sahilenterprises111@gmail.com](mailto:sahilenterprises111@gmail.com)

Phone : +91-9899309626, 9899389626,  
9899389625

Add: 111, Rajeev Colony, Samaypur Road, Near Pawan  
Hospital, Sec.-56, Ballabgarh, Faridabad-121004-(HR)

**WE Promise You An Experience Of Total  
Satisfaction. 'Pack With Confidence'**